

BORA - Domestic



A new machine launched by BE, especially for the home user. Hot Water pressure cleaners are traditionally too expensive for the home user, who then miss the benefits. We have designed the new lighter duty BORA in an upright style, making it better suited for home storage.

Features:

- Fully built by Comet in Italy
- Comet Axial Pump, with Brass Head
- 2800 Rpm electric motor
- New space saving trolley with metal frame
- Supplied ready to work, with gun, lance & 8 metres hose. Bonus Turbo Lance included for a limited time.
- Foam lance for low pressure detergent injection
- Control panel with 0-1-2 settings (stop-cold water-hot water)
- Weighs 55Kg



MODEL	Psi	Flow	Motor	Power	Speed	Reel	List
BORA	1884	7.5	2.0kW	240V 15amp	2800 Rpm	✖	\$2,066 C

SCOUT / KD300 - Semi. Professional

The Scout series is designed for home and workshop use, where the machine is used on a weekly or irregular basis.

Our most popular hot water pressure cleaner, the Scout offers a great balance between price and quality. Genuinely regular users should head to the KE series on the next page.

Features:

- Fully built in Italy
- Comet Axial Pump, with Brass Head
- 2800 Rpm electric motor
- Electronic safety features, including TOTAL STOP, meaning the Scout shuts down when the gun is closed
- Burner includes adjustable temperature knob and delayed burner start
- Low Pressure detergent with 13 litre inbuilt tank
- Compact frame with large rubber lined wheels
- Supplied ready to work, with gun, lance & 10 metres hose.
- Control panel with 0-1-2 settings (stop-cold water-hot water)
- Weighs 70 & 90 Kg



MODEL	Psi	Flow	Motor	Power	Speed	Reel	List
SCOUT 150C	2175	9	2.0kW	240V 15amp	2800	✖	\$2599 C
SCOUT 150E	2175	9	2.0kW	240V 15amp	2800	✓	\$2999 C 🧐
KM3.10 Basic	2030	10	2.2kW	240V 15amp	2800	Optional	\$poa

Note: The KM3.10 features a bigger electric motor and upgraded pump, but does not include a hose reel

Hot Water Electric



COMET - ITALIAN STYLE

KM Series - Professional



The KM models are our new heavy duty series, standard with slow speed 1440rpm electric motor, Comet pump & heavy duty frame. Designed for the regular, but not constant user.

Features:

- Fully built in Italy
- Comet Plunger Pump
- Slow speed direct flanged 1440Rpm electric motor for longer life
- Electronic safety features, including TOTAL STOP, meaning the machine shuts down when the gun is closed
- Double steel coil boiler with stainless wrap cover.
- Burner includes delayed start & flame control
- Large capacity 19 litre diesel tank
- Low Pressure detergent with 13 litre inbuilt tank
- Supplied ready to work, with gun, lance & 10 metres hose.
- Dimensions L97xW71xH87



MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	Reel	Kg	List
KM 3.10 C	2030	10	2.2	240V 15	1440	Option	109	\$4,999 C
KM 8.15 E	2900	15	5.5	415V	1440	Option	125	\$5,999 C

KF Series - Industrial

The KF models are our heavy duty series, standard with slow speed 1440 Rpm electric motor, Comet Premium pump & robust frame. Designed for the heavy duty user.

Features:

- Fully built in Italy
- Comet Premium Pump, the best quality high pressure available
- Slow speed 1440Rpm electric motor for longer life
- Double Flange electric motor with elastic joint
- Electronic safety features, including TOTAL STOP, meaning the machine shuts down when the gun is closed
- Double coil boiler with stainless wrap cover.
- Stainless coil option available on all models
- Burner includes delayed start & flame control
- Large capacity 19 litre diesel tank
- High Pressure detergent with 16 litre inbuilt tank
- Heavy duty metal frame with bumper protector
- Supplied ready to work, with gun, lance & 10 metres hose.
- Control panel features lamps for machine switched on-low fuel level-timed shutdown-leak detected-motor thermal overload -burner malfunction. Knobs include temperature adjustment-on/off
- Dimensions L132xW82xH96



MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	Reel	Kg	List
KF9.18	2900	18	6.6	415V	1440	Optional	150	\$6,999 C
KF10.21	3000	21	8.9	415V	1440	Optional	165	\$8,944 C

Note:
Stainless Coil option available on all models. Simply add "SS" to the number.

VULCAN - DOUBLE BURNER

The VULCAN is a special machine built with double boiler assemblies. This feature guarantees a constant temperature and maximum efficiency at very high flow levels.

Features:

- Twin boiler assemblies
- Ventilation by independent electric motor.
- All the same general features as the Urano series on the facing page
- Automatic stop if machine left idle for 60 minutes
- Supplied ready to work, with gun, lance & 10 metres hose.
- No detergent injection
- Dimensions
L120xW90xH120



MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	Kg	List
Vulcan 15/30	2175	30	7.5	415V	1440	280	\$poa
Vulcan 20/25	2900	25	9.2	415V	1440	280	\$poa
Vulcan 20/30	2900	30	11	415V	1440	280	\$poa

MOBILE BOILER - HOT BOX

Converts your cold water pressure washer to hot water

Features:

- Full stainless canopy
- Water temp. to 90°
- Seamless C2 coil
- Stainless 30 Litre fuel tank
- Includes 2 metre link hose



MODEL	Psi	Flow	Power	Coil Wall	Temp.	Kg	List
Fire A (or SS)	2900	5-15	24 / 240V	2.8mm	0 - 90°	103	\$3,759 C
Fire B 350	5000	5-25	24 / 240V	2.8mm	0 - 90°		\$4,699 C
Vulkan	5000	5-15	12 / 12V	3.0mm	30 - 140°	70	\$poa

IN PLACE SYSTEMS - PREMIUM HOT & HOT SPOT

The PREMIUM HOT & HOT SPOT are professional designed for applications that need a machine fitted in-situ.

PREMIUM HOT - Fully independent Hot Water machine

HOT SPOT - A more compact machine that requires an independent diesel source (no tank included)

Features:

- Full stainless cabinet
- Temperature: Water 0° to 90° : Steam to 140°
- Diesel Tank on Premium Hot: 40 Litre
- All the same general features as the Urano series on the facing page
- For warm inlet water, an optional hot water seal kit is available
- Slow speed 1440 Rpm electric motor for longer life
- New seamless steel coils for longer life (rated to 5000 Psi)
- Full function, waterproof display panel with temperature adjustment knob and low voltage controls
- Supplied ready to work, with gun, lance & 10 metres hose.
- High pressure detergent injection
- Premium Hot Dimensions L55xW86xH184



MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	List
Static Hot 10/12	1550	12	2.2	240V	1440	\$poa
Static Hot 20/15	2900	15	5.5	415V	1440	\$poa
Static Hot 20/21	2900	20	7.5	415V	1440	\$poa
Hot Spot 10/12	1550	12	2.2	240V	1440	\$poa
Hot Spot 20/15	2900	15	5.5	415V	1440	\$poa
Hot Spot 20/21	2900	20	7.5	415V	1440	\$poa



Hot Water Electric



URANO - NZ STYLE

HYDRA - PROFESSIONAL



The Hydra models are our MID duty series, standard with slow speed 1440rpm electric motor, Interpump pump, heavy duty frame and mirror stainless cover.

Designed for those who prefer the traditional NZ look

Features:

- Fully built in Italy
- Temperature: Water 30° to 80°
- Interpump Plunger Pump
- Slow speed 1440Rpm electric motor for longer life
- Hollow shaft Nicolini motor flanged direct to the pump
- Delayed "Total Stop" automatically shuts down the machine when the gun is closed.
- New C2 seamless steel coil for longer life (rated to 5000 Psi)
- Stainless coil option available on all models
- Delayed 3 second start of the burner to reduce smoke
- Full function, waterproof display panel with temperature adjustment knob and low voltage controls
- Low pressure detergent pick up
- Supplied ready to work, with gun, lance & 10 metres hose.
- Optional hose reel
- Dimensions L82.5xW54xH82.5

MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	Weight (kg)	List
Hydra 10/12	1550	12	2.2	240V 15	1440	130	\$5,980C
Hydra 17/13	2500	13	2.2	415V	1440	130	\$poa

Note:
Stainless Coil option available on all models. Simply add "SS" to the number.

URANO - INDUSTRIAL



The Urano series features slow speed 1440 rpm electric motor, Interpump pump, heavy duty frame and brush stainless cover. Designed for those who prefer the traditional NZ look.

Features:

- The Urano series does not run a computer, meaning in case of problems a warning light will appear to highlight the problem, but you can still use your machine until a technician arrives.
- Temperature: Water 0° to 90° : Steam to 140°
- Interpump Plunger Pump with stainless water inlet feeder tank
- For warm inlet water, an optional hot water seal kit is available
- Double Flange 1440 Rpm Nicolini motor with elastic joint (except 10/12)
- Delayed "Total Stop" automatically shuts down the machine when the gun is closed. (adjustable from 0 to 30 seconds)
- Automatic stop if machine left idle for 30 minutes
- New seamless steel coil for longer life (rated to 5000 Psi)
- Delayed 3 second start of the burner to reduce smoke
- Flame control device system & 24 litre diesel fuel tank
- Full function, waterproof display panel with temperature adjustment knob and low voltage controls
- Detergent via external venturi pick up at high pressure
- Supplied ready to work, with gun, lance & 10 metres hose.
- Optional hour meter and hose reel
- Dimensions L100xW60xH80

MODEL	Psi	Flow	Motor (kW)	Power	Speed (Rpm)	Coil	Kg	List
URANO 10/12	1550	12	2.2	240V	1440	C2	125	\$poa
URANO 15/21	2175	20	5.5	415V	1440	C2	150	\$poa
URANO 20/15	2900	15	5.5	415V	1440	C2	165	\$8217C
URANO 20/21 Big	2900	20	7.5	415V	1440	C3	175	\$9,190C

Note: C3 Coil is larger & holds heat longer
Stainless Coil option available on all models. Simply add "SS" to the number**
**For longevity, we recommend the standard coil